



# BTM Equipment, INC dba TK EQUIPMENT

14419 Atlanta dr  
Laredo, TX, 78041  
Tax ID: 33-1173226

## HOW TO

Contact: Octavio Chavez  
✉: [manager@tkequip.com](mailto:manager@tkequip.com)  
☎: (956) 796 9411  
📠 : (956) 462 2500

### HOW TO: FINAL ASSEMBLY A MORTAR MIXER

1. - WHILE THE MIXER IS STANDING ON AN END, YOU SHOULD PLACE THE SRPING ON THE CLUTCH, THIS ACCESS IT IS PLACED IN THE BOTTOM OF THE ENGINE FRAME.



2.-USING THE METALIC PLATE OF THE AXLE AS A GUIDE, ALIGNE THE METALIC PLATE OF THE AXLE, POINTINGG TO THE CLUTCH OF THE MIXER (WHERE THE SPRING IN STEP #1 IS), AND BOLT THE AXLE TO THE MIXER.





# BTM Equipment, INC dba TK EQUIPMENT

14419 Atlanta dr  
Laredo, TX, 78041  
Tax ID: 33-1173226

## HOW TO

Contact: Octavio Chavez  
✉: [manager@tkequip.com](mailto:manager@tkequip.com)  
☎: (956) 796 9411  
📠 : (956) 462 2500

3.-ATTACH THE AXLE TO THE SPRING, MAKING A LINK FROM THE CLUTCH TO THE AXLE OF THE MIXER.



4. - ATTACH THE HIGH SPEED WHEELS TO THE AXLE HUBS; MAKE SURE THE PIVOT IS FACING OUTSIDE, AND FASTEN THE LUG NUTS.





## BTM Equipment, INC dba TK EQUIPMENT

14419 Atlanta dr  
Laredo, TX, 78041  
Tax ID: 33-1173226

## HOW TO

Contact: Octavio Chavez  
✉: [manager@tkequip.com](mailto:manager@tkequip.com)  
☎: (956) 796 9411  
📠 : (956) 462 2500

5. - WHEN EVERYTHING IS THIGHT UN MAKE SURE YOU REMEVO THE 2 BOLTS THAT HOLDS THE MIXER SHORUD TO THE PALLET.



6. - AFTER EVERYTHING IS THIGHTEN ON THE MIXER, AND UN BOLTED FROM THE PALLET, **CARFULLY** PUT THE MIXER DOWN...

