



Building the American Dream

# FLOOR SAWS

## Walk behind-Concrete Saw JCS



Ergonomic grips

Built-in water tank for better visibility and maximum water flow

Retractable handle for convenient transportations

Heavy Duty welded box frame construction for vibration reduction and stable swaing

Reliable HONDA engine fully protected with cage with lifting bale


Front & Rear cutting guide

**JCS**

Blade Shaft 1"  
Max Cut 7"



**Hinged guard with easy lock for arbor replacemnet**



MODEL	JCS
MAX Blade Capacity in (cms)	18" (45)
Operanting Weight lbs. (kg)	264 lbs, (120)
Front Wheels Size in (cms)	R-2.5" W2" (6.3) (5)
Rear Wheels Size in (cms)	R-3" W2" (7.6) (5)
Blade Collar Dia in (cm)	3 1/2" (8.9)
Dimensions L x W x H in (cms)	42" x 24" x 37" (106) x (60) x (93)
Drive System	(3) cog V Belt
Water Tank Capacity Gal (lts)	10 gal (40)
Engine Power	13 HP Honda
Air Cleaner Type	Cyclone
Classification	Walk Behind
Blade Guard	1 Piece

Designs and specifications subject to change without notice or obligations. Exact weights are dependent upon power source.

Follow us:



[www.tkequip.com](http://www.tkequip.com)



[manager@tkequip.com](mailto:manager@tkequip.com)

Laredo TX 78045  
Tel. (956) 740-3740  
Off. (956) 796-9411  
Fax. (956) 462-2500



# FLOOR SAWS

## Walk Behind Concrete Saw MSM

Building the American Dream



Low resistance manual crank lift with locking mechanism

MODEL	MSM
MAX Blade Capacity in (cms)	14" (35)
Operanting Weight lbs. (kg)	188 lbs, (85)
Front Wheels Size in (cms)	R-2" W2" (5) (5)
Rear Wheels Size in (cms)	R-3" W2" (7.6) (5)
Blade Collar Dia in (cm)	3 1/2" (8.9)
Dimensions L x W x H in (cms)	36" x 21" x 36" (91) x (53) x (91)
Drive System	(3) cog V Belt
Water Tank Capacity Gal (Its)	2.1 gal (8)
Engine Power	8 HP Honda
Air Cleaner Type	Cyclone
Classification	Walk Behind
Blade Guard	1 Piece



The quick release blade collar make it easy to install and remove blades eliminating arbor damage caused by inadequate



Designs and specifications subject to change without notice or obligations. Exact weights are dependent upon power source.

Follow us:



www.tkequip.com



manager@tkequip.com

Laredo TX 78045  
Tel. (956) 740-3740  
Off. (956) 796-9411  
Fax. (956) 462-2500





Building the American Dream

# FLOOR SAWS

## Walk Behind Concrete Saw MCS-1



MODEL	MCS-1
MAX Blade Capacity in (cms)	18" (45)
Operating Weight lbs. (kg)	288 lbs, (130)
Front Wheels Size in (cms)	R-2" W2" (5) (5)
Rear Wheels Size in (cms)	R-4" W2" (10) (5)
Blade Collar Dia in (cm)	4" (10.16)
Dimensions L x W x H in (cms)	42" x 24" x 37" (106) x (60) x (93)
Drive System	(3) cog V Belt
Water Tank Capacity Gal (lts)	3.5 gal (13)
Engine Power	13 HP Honda
Air Cleaner Type	Cyclone
Classification	Walk Behind
Blade Guard	Hinged



The quick release blade collar make it easy to install and remove blades



Designs and specifications subject to change without notice or obligations. Exact weights are dependent upon power source.

Follow us:



www.tkequip.com



manager@tkequip.com


Laredo TX 78045  
Tel. (956) 740-3740  
Off. (956) 796-9411  
Fax. (956) 462-2500



Building the American Dream

# FLOOR SAWS

## Self propelled-Concrete Saw JCST



MODEL	JCS
MAX Blade Capacity in (cms)	18" (45)
Operanting Weight lbs. (kg)	319 lbs. (145)
Front Wheels Size in (cms)	R-2.5" W2" (6.3) (5)
Rear Wheels Size in (cms)	R-3" W2" (7.6) (5)
Blade Collar Dia in (cm)	3 1/2" (8.9)
Dimensions L x W x H in (cms)	42" x 24" x 37" (106) x (60) x (93)
Drive System	(4) cog V Belt
Water Tank Capacity Gal (lts)	N/A
Engine Power	13 HP Honda
Air Cleaner Type	Cyclone
Classification	Walk Behind
Blade Guard	1 Piece



### Self propelled control



Designs and specifications subject to change without notice or obligations. Exact weights are dependent upon power source.

Follow us:



www.tkequip.com



manager@tkequip.com

Laredo TX 78045  
Tel. (956) 740-3740  
Off. (956) 796-9411  
Fax. (956) 462-2500